FIG. 1 (PRIOR ART)




FIG. 2 (PRIOR ART)






FIG. 3





#### **500**

510 <targetSuitability>
520 <characteristics>
521 <characteristic id="freeSpace" weight="10">200 MB</characteristic>
522 <characteristic id="freeSpace" weight="50">400 MB</characteristic>
523 <characteristic id="installed" weight="75">netdata</characteristic>
524 characteristic id="osLevel" weight="30">ServicePack 4</characteristic>
525 <characteristic id="osLevel" weight="60">ServicePack 6</characteristic></characteristics>
530 <definitions>
531 <definition id="freeSpace" routine="WindowsFreeSpace">
532 <definition id="installed" routine="WindowsProductInstalled">
533 <definition id="osLevel" routine="WindowsServiceLevel"></definitions>
</definitions>
</dargetSuitability>

FIG. 6





FIG. 7



{"product\_vendor", "IBM"},

{"product\_name", "DB2 Universal Database Run-Time Client"},

["product\_description", "<html>Provide the following information and click

<b>Finish</b> to proceed.<br/>br>Click a field name for additional information about the

field.</html>"}, {"product\_icon", "com/ibm/cbf/icons/db2.gif"},

["files\_DB2RTClient71Win\_prompt\_string", "Specify the location of the install image for this product

(for example, the CD-ROM drive or mount point)"},

{"jar\_name", "CBN\_db2rtclientwin"},

"var\_DB2\_Runtime\_Client\_prod\_path\_label\_text", "Destination Directory"}, {"value\_DB2\_Runtime\_Client\_prod\_path\_keyword", "FILE"}, {"value\_DB2\_Runtime\_Client\_prod\_path\_section", " "}, the application files."},

["value\_DB2\_Runtime\_Client\_prod\_path", "C:\\SQLLIB"},